

From: Gerald Heston/R3/USEPA/US
Sent: 5/18/2012 6:53:52 AM
To: Fran Burns/R3/USEPA/US@EPA
CC: Bonnie Gross/R3/USEPA/US@EPA
Subject: Re: Dimock Update (1430 hrs., 5/17/12)

Good job !!!

Gerald T. Heston, Chief
Eastern Response Branch (3HS31)
U. S. Environmental Protection Agency - Region 3
1650 Arch Street
Philadelphia, PA 19103

Phone: 215-814-3273
Fax: 215-814-3254

From: Fran Burns/R3/USEPA/US
To: Ron Borsellino/R3/USEPA/US@EPA, Kathy Hodgkiss/R3/USEPA/US@EPA, Dennis Carney/R3/USEPA/US@EPA, Bonnie Gross/R3/USEPA/US@EPA, Fran Burns/R3/USEPA/US@EPA, Gerald Heston/R3/USEPA/US@EPA, Richard Fetzer/R3/USEPA/US@EPA, Richard Rupert/ESC/R3/USEPA/US, Kelley Chase/R3/USEPA/US@EPA, Ann DiDonato/R3/USEPA/US@EPA, LaRonda Koffi/R3/USEPA/US@EPA
Date: 05/17/2012 02:41 PM
Subject: Dimock Update (1430 hrs., 5/17/12)

No homes sampled today.

Data packages for homes sampled during weeks 4 & 5 have been delivered. All data is posted on the website.

Target time frame for sampling remaining first round homes and resampling the four homes currently receiving alternate water is the week of May 21, pending coordination with the labs, availability of homeowners, and access. As of today, two homes are scheduled for next week, one home is a round two and one home is round one supplemental. Messages have been left with the remaining five homes to be sampled.

Provision of alternate water continues to keep water tanks filled.

Fran Burns, Chief
Western Response Branch (3HS32)
U. S. Environmental Protection Agency - Region 3
1650 Arch Street
Philadelphia, PA 19103

Phone: 215-814-3245
Fax: 215-814-3254